



Dimensions




Side View
Laptop Compartment




When figuring dimensions, include mounted accessories, protruding cables and port replicators or docking stations.

Range of Motion




Weight Capacity



- Open Worksurface 0 lbs (0 kg)
- Closed Worksurface <5 lbs (2.3 kg)
- Laptop Compartment <10 lbs (4.5 kg)





Dimensions



CPU Compartment



When figuring dimensions, include mounted accessories, protruding cables and port replicators or docking stations.




Weight Capacity


With Independent LCD Lift:	Without Independent LCD Lift:	LB kg
<14 lbs (6.4 kg)	20 lbs (9 kg)	LB kg

- 0 lbs (0 kg) Open Worksurface
- <5 lbs (2.3 kg) Closed Worksurface
- <13 lbs (5.9 kg) CPU Compartment


Combined LCD and CPU Compartment weight: <27 lbs (12.2 kg). If the combined LCD and CPU weight is greater than 27 lbs (12.2 kg) then the CPU must be mounted to the rear of the cart using the Universal CPU Holder accessory (ordered separately).



Dimensions




Laptop Compartment




When figuring dimensions, include mounted accessories, protruding cables and port replicators or docking stations.


Range of Motion



Weight Capacity




Dimensions





Side View

CPU Compartment




When figuring dimensions, include mounted accessories, protruding cables and port replicators or docking stations.


Range of Motion




Top View




Front View



Front View



Side View



Top View


Weight Capacity


With Independent LCD Lift: <14 lbs (6.4 kg)
Without Independent LCD Lift: 20 lbs (9 kg)

0 lbs (0 kg) Open Worksurface
<5 lbs (2.3 kg) Closed Worksurface
<13 lbs (5.9 kg) CPU Compartment*


*Combined LCD and CPU Compartment weight: <27 lbs (12.2 kg).

<3 lbs (1.4 kg)







Side View



Front View




Top View




CPU Compartment

When figuring dimensions, include mounted accessories, protruding cables and port replicators or docking stations.




Side View




Range of Motion






Weight Capacity



Dimensions




Laptop Compartment




When figuring dimensions, include mounted accessories, protruding cables and port replicators or docking stations.





Range of Motion





Weight Capacity

- Open Worksurface 0 lbs (0 kg)
- Closed Worksurface <5 lbs (2.3 kg)
- CPU Compartment <10 lbs (4.5 kg)






When figuring dimensions, include mounted accessories, protruding cables and port replicators or docking stations.



Range of Motion



Weight Capacity


Without Independent LCD Lift: 20 lbs (9 kg)
With Independent LCD Lift: 6-14 lbs (2.7-6.4 kg)
Carts with LiFe Power System: 5-11 lbs (2.3-5 kg)

0 lbs (0 kg) Open Worksurface
<5 lbs (2.3 kg) Closed Worksurface*
<13 lbs (5.9 kg) CPU Compartment**


*Weight Capacity for carts with LiFe Power System is <3 lbs (1.4 kg).
**Combined LCD and CPU Compartment weight: <27 lbs (12.2 kg).

<3 lbs (1.4 kg)

Dimensions



Range of Motion



Weight Capacity: <14 lbs (6.4 kg)

Carts with LiFe Power System:
5-11 lbs (2.3-5 kg)

0 lbs (0 kg) Open Worksurface

<5 lbs (2.3 kg) Closed Worksurface*

<13 lbs (5.9 kg) CPU Compartment**

*Weight Capacity for carts with LiFe Power System is <3 lbs (1.4kg).

**Combined LCD and CPU Compartment weight: <27 lbs (12.2 kg).

<3 lbs (1.4 kg)