



Signature

TMM170

17.0" Flat LED Monitor SPEC



Product Features:

- 17.0" LED Backlight LCD Display
- PCT TOUCH Option
- Support VGA / HDMI INTERFACE
- Low Power Consumption
- Support VESA 75*75mm/100*100mm


SPEC:

| | | |
|---------|--------------------------|------------------------------------|
| DISPLAY | Screen Size | 17.0" |
| | Backlight | LED |
| | Aspect Ratio | 5:4 |
| | Max. Resolution | 1280 x 1024 |
| | Viewable Size (HxV) | 345.408 × 259.056 mm |
| | Pixel Pitch (HxV) | 0.264 x 0.264 mm |
| | Brightness (Typ.) | 250 cd/m ² (Panel Typ.) |
| | Contrast Ratio (Typ.) | 1000 : 1 |
| | Viewing Angle | 170° / 160° |

| | | |
|--|--------------------------------|-------|
| | (HxV) | |
| | Display Color | 16.7M |
| | Response Time (Tr/Tf)(Typ.) | 20 ms |

| | | |
|---------------|---------------------|--------------------------------|
| I/O INTERFACE | Video Input | VGA*1 HDMI*1 |
| | Touch | USB *1 (TYPE B) |
| ELECTRICAL | Power Input | AC 100~240V, 50/60 Hz |
| | Power Supply | DC12V / 3A |
| | Power Consumption | 20W max. / Standby 2W max. |
| GENERAL | Operating Condition | Temp: 0°C~ 50°C, Hum.:20~80% |
| | Storage Condition | Temp: -10°C~ 60°C, Hum.:15~85% |
| OPTION | Touch Panel | PCAP Touch (USB) |
| | Base | Base Option |
| | Cabinet Color | Black or White or Customized |

I/O INTERFACE:



Dimension (Unit: mm):

