


EXCEPTIONAL RELIABILITY FOR STABLE OPERATIONAL PERFORMANCE.



Durable Solutions for Reliable POS Operations and Efficient Transaction Processing.

The Epson Dot Matrix TM-U220II series offers three flexible models – Type A with journey printing and auto cutter, Type B with auto cutter, and Type D with manual cutter – designed to meet the demands of high-traffic F&B and Retail environments. Designed for easy setup and high productivity, these printers deliver fast print speeds of up to 6.0 ips and support various UIB interfaces. Their efficient receipt printing and easy paper loading simplify setup and streamline POS operations, ensuring stable performance and resilience in demanding environments.



High Speed
Printing



Auto Cutter



Compact



Wall Mount*



Buzzer Compatible



Cost Effective

ENGINEERED FOR good



Dependable Efficiency

Dependable performance with a printer mechanism lifespan of up to 7.5 million lines and an auto cutter* durability of up to 800,000 cuts.

Simple Setup

Quick and hassle-free setup with multiple interface options, including USB, Serial, Ethernet, Parallel, and optional Wi-Fi dongle* compatibility.

Versatile Integration

Compatible with the optional OT-BZ20 buzzer via the drawer kick port and wall mounting function, making it perfect for kitchen environments.

SPECIFICATIONS

MODEL NUMBER	TM-U220IIA	TM-U220IIB	TM-U220IID
Print Method	9-Pin Serial Impact Dot Matrix		
Print Font	Font A: 9 x 9 Font B: 7 x 9 (Default)		
Character Set (W x H)	1.2 mm x 3.1 mm or 1.6 mm x 3.1 mm		
Character Set	95 Alphanumeric, 48 International, Extended Graphics: 128 x 12 pages		
Characters Per Inch	17.8 cpi / 16 cpi or 14.5 cpi / 13.3 cpi		
Interface	RS-232C, Bi-directional Parallel, Dealer Option: USB, 10-Base-T I/F		
Receive Data Buffer	4 KB or 40 Bytes		
Print Speed	4.7 ips (at 40 columns, 16 cpi), 6.0 ips (at 30 column, 16 cpi)		
Dot Density	180 dpi x 180 dpi		
Paper	Roll Paper 76.0 ± 0.5 mm (W) x Dia. 83 mm 69.5 ± 0.5 mm (W) x Dia. 83 mm		
Paper Capacity	1 origin + 1 copy		
Power	DC 24V ± 7%		
Supply Voltage	DC 24V ± 7%		
Power Consumption	Operating: Approx. 22.8 W (Mean) Standby: Approx. 1.2 W (Mean) Power Supply: AC Adapter Type-C (Built-in)		
Reliability	7.5 million lines		
Printer Mechanism Life	800,000 cuts (Type-A and Type-B only)		
Auto Cutter Life	180,000 hours		
MTBF	18 million lines		
MCBF			
Two Colour Printing	Yes	Yes	Yes
Auto Cutter	Yes	Yes	No
Winding Device for Journey Paper Printing	Yes	No	No
Wall Hanging Install	No	Yes	Yes
Ribbon Cassette	ERC-38B/R (Black: 1.5 million characters, Red: 750,000 characters) ERC-38B (Black: 3 million characters)		
Overall Dimensions (W x D x H)	160 x 286 x 157.5 mm	160 x 248 x 138.5 mm	160 x 248 x 138.5 mm
Weight	Approx. 2.7 kg	Approx. 2.5 kg	Approx. 2.3 kg

Dimensions & Weight

TM-U220IIA

Weight: Approx. 2.7kg



TM-U220IIB

Weight: Approx. 2.5kg

TM-U220IID

Weight: Approx. 2.3kg



What's In The Box

Sample Ribbon Cassette ERC-38 (B/R)
Roll Paper
User's Manual
AC Adapter Type-C (Built-in)
Cover Power Switch

Options and Consumables

Item	Part Number
External Buzzer OT-BZ20	C32C890634
Wall Hanging Unit WH-10	C21C845040
Wireless LAN Dongle WL-06	C32C891328
Power Supply PS-190	C32C825381
Power Supply PS-180	C32C825341
Ribbon Cassette ERC-38(B)	C43S015374
Ribbon Cassette ERC-38(B) - 10-in-1 Pack	C43S015376
Ribbon Cassette ERC-38B/R	C43S015377

©2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing.
Printed October 2024